

GALLERY[®] STEEL

garage doors

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors[®]



*Model GD4S Garage Door with Clayton™ Long Window Design,
Spade Lift Handles and Step Plates
Smooth Fiberglass Model FS2651 Entry Door with Clayton™ Glass*

GALLERY® STEEL

Clopay's one and two-layer Gallery® Steel combines stylish carriage house designs at more affordable prices.

Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge, 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV and GD4LV).
- Long-life nylon rollers are quiet and durable.
- Replaceable vinyl bottom weatherseal in a rust-resistant aluminum retainer helps seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.



1
LAYER
NON-INSULATED

Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated

2
LAYER
POLYSTYRENE

EFFICIENCY
6.3
R-VALUE

Model	Description
GD5SV	25 Gauge, Short Panel, Insulated
GD4SV	24 Gauge, Short Panel, Insulated
GD4LV	24 Gauge, Long Panel, Insulated



VINTAGE style with updated APPEAL

Model GD4S with SQ22 Windows,
Spade Lift Handles, Step Plates and
Optional Decorative Spade Strap Hinges

DOOR DESIGNS



Short (GD5S,
GD5SV, GD4S
and GD4SV)

Long (GD4L and GD4LV)

GD5S/GD5SV available 5'0"–18'0" wide in 2" increments (excludes 10'2"–11'4" and 14'8").
GD4S/GD4SV available 5'0"–20'0" wide in 2" increments (excludes 10'2"–11'4" and 14'8").
GD4L/GD4LV available 7'8"–20'0" wide in 2" increments (excludes 10'2"–11'4" and 14'8").
All doors available 6'0"–16'0" high in 3" increments.
Standard hardware shown above.

COLORS



- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.

** Not available on Models GD4L and GD4LV.
Due to the printing process, colors may vary.*

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

MODELS GD5S, GD5SV, GD4S AND GD4SV

Models GD5S and GD5SV
available only in widths up to 18'.

HEIGHTS 7'0"–8'0"


WIDTHS 5'0"–6'0" 6'2"–7'6" 7'8"–10'0" 11'6"–14'6" 14'10"–19'0" 19'2"–20'0" 9'0"–10'0" 10'6"–12'0"

Illustrations simplified for clarity.

Long Top Section



ARCH1



*Acrylic


†Complements Clopay Entry Door glass.

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.


LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

MODELS GD4L AND GD4LV


Illustrations simplified for clarity.




Short Top Section




ARCH1




Plain Short




Vertical Grille
on ARCH1



Plain Long



Grille on ARCH1



REC12




ARCH2



REC14




Vertical Grille
on ARCH2



SQ22




Grille on ARCH2



SQ24




ARCH3



Trenton® Short†




Vertical Grille
on ARCH3



Trenton® Long†




Grille on ARCH3



Kristin® Short†




Clayton™ Short†




Kristin® Long†



Clayton™ Long†




Wrought Iron Short**



Wrought Iron Arch**



Wrought Iron Long**




*Acrylic

†Complements Clopay Entry Door glass.

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.


Windows

GLASS



*Complements Clopay Entry Door glass.
Long and short windows may be used in any Gallery Steel 1 and 2-layer model. Double strength glass is standard. Optional 1/8" obscure glass is available on all Gallery Steel 1 and 2-layer models.
Additional charges for optional glass apply.

ACRYLIC



Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

Windows are available single pane in clear, frosted, seeded, obscure and rain designs. Clear acrylic also available.




Decorative Hardware

STANDARD



Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen. See your Clopay Dealer for details.

OPTIONAL



Spade Strap Hinge*
(Complements Spade Lift Handles and Spade Step Plate)

*Aluminum construction.
*Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details.

Warranties

25 GAUGE DOORS (GD5S and GD5SV)

PAINT SYSTEM	WINDOW	HARDWARE
LIMITED 15 YR WARRANTY	LIMITED 10 YR WARRANTY	LIMITED 3 YR WARRANTY

24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)

PAINT SYSTEM	WINDOW	HARDWARE
LIMITED LIFE WARRANTY	LIMITED 10 YR WARRANTY	LIMITED 3 YR WARRANTY

Environmental Assurance

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:

- California SB 1013
- New Jersey A-5583/S-3919 – Greenhouse Gas Bill
- Washington HB 1112 – Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations

Additional Features



Large authentic arch window designs.



Decorative panel edging and natural embossed woodgrain texture.



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



© 2020 Clopay Corporation. All rights reserved.

RSR-GALLERY1-2LAYERSS-11_REV1120

imagine



DESIGN YOUR DOOR
OPEN CAMERA
AND POINT!